



Procedure to connect VTC-Staff WiFi network for Windows 10

1. If already had “VTC-Staff” profile created before on Windows 10, please follow below step to forget it first. If no “VTC-Staff” profile create before, please jump to step 2.


1.1 Click the “Network & Internet” under “Settings”.




1.2 Select “Wi-Fi” then click “Manage Wi-Fi settings”




1.3 Select “VTC-Staff” and click “Forget”.




2. Click the “Network and Sharing Center” under “Control Panel”.




3. Click the “Set up a new connection or network”



4. Select “Manually connect to a wireless network”. Then click “Next” to continue.



5. Type “VTC-Staff” in the “Network name”, select “WPA2-Enterprise” and uncheck “Start this connection automatically”. Then click the “Next” to continue.



Manually connect to a wireless network

Enter information for the wireless network you want to add

Network name:

Security type:


Encryption type:

Security Key: Hide characters

Start this connection automatically

Connect even if the network is not broadcasting
Warning: If you select this option, your computer's privacy might be at risk.

6. Click “ Change connection settings”.




Manually connect to a wireless network


Successfully added VTC-Staff

[→ Change connection settings](#)
Open the connection properties so that I can change the settings.


7. Select “Security” tab



8. Uncheck “Remember my credentials for this connection each time I’m logged on” box. Then click the “Settings” to continue.




9. Uncheck “Verify the server’s identity by validating the certificate” box, select “Secured password (EAP-MACHAP v2)” and check the “Enable Fast Reconnect” box. Then click the “Configure...” to continue.




10. Uncheck the “Automatically use my Windows logon name and password (and domain if any)” box. Then click the “OK” to continue.




11. At the “Protected EAP Properties” window, click the “OK” to continue.




12. At the “VTC-Staff Wireless Network Properties” window, click the “Advanced settings” to continue.




13. Check “Specify authentication mode” box and select “User authentication from drop down box. Then click “OK” to continue.




14. Click “OK” to continue.




15. Click “Close” to continue.




16. Click the “Network & Internet” under “Settings”.



17. Select “Wi-Fi” then click “VTC-Staff” and click “connect”.



18. Enter your CNA username and password. Then click “OK”.



19. If login is successful, “Connected” will be displayed.

